L Number	Hits	Search Text	DB	Time stamp
-	216	multicast$5 with rout$4 near3 table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:05
-	0	(multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value) near3 route	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:33
-	47	(multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:54
-	27	((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and updat$5 near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:34
-	43	((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:09
-	26	(((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:46
-	3	((((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and updat$5 near5 rout$5) and ((((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$6)) and synch$ near5 rout$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:47
-	6	((((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and updat$5 near5 rout$5) and ((((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$6)) and synch$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:47
-	18	(((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and updat$5 near5 rout$5) and ((((multicast$5 with rout$4 near3 table) and assign$5 near3 (ID or identif$6 or number or value)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:52
-	25	(multicast$5 with rout$4 near3 table) and route near3 (ID or identif$6 or number or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:54
-	25	((multicast$5 with rout$4 near3 table) and route near3 (ID or identif$6 or number or value)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:56

L Number	Hits	Search Text	DB	Time stamp
6	4494	709/202-203.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/06 18:35
7	2	709/202-203.ccls. and (multicast$5 with rout$4 near3 table) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/06 18:41
8	126	(multicast$5 with rout$4 near3 table) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/06 18:42
9	31	((multicast$5 with rout$4 near3 table) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)) and rout$5 near5 state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/06 18:43
10	23	(((multicast$5 with rout$4 near3 table) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)) and rout$5 near5 state) and rout$5 near5 (id or identif$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/06 18:43
11	22	((((multicast$5 with rout$4 near3 table) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)) and rout$5 near5 state) and rout$5 near5 (id or identif$6)) and (compar$5 or greater)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/06 18:44

-	17	((multicast$5 with rout$4 near3 table) and route near3 (ID or identif$6 or number or value)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:08
-	1433	709/238.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 20:05
-	308	709/242.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 20:06
-	1433	709/238.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 20:06
-	1209	709/218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 20:06
-	4	709/242.ccls. and (multicast$5 with rout$4 near3 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 20:06
-	4	(709/242.ccls. and (multicast$5 with rout$4 near3 table)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:19
-	973	updat$5 with routing near2 table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:05
-	48	(updat$5 with routing near2 table) and multicast$5 near3 protocol$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:06
-	1541	routing near2 table.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:06
-	3389	multicast$5.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:06
-	2065	multicast$5.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:06
-	381	routing near2 table.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:07
-	47	(routing near2 table.ab.) and (multicast$5.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:53

C:\APPS\EAST\Workspaces\09747350.wsp

-	9	(updat$5 with routing near2 table) and ((routing near2 table.ab.) and (multicast$5.ab.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:07
-	25	(routing near2 table.ab.) and (multicast$5.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:08
-	1	(((routing near2 table.ab.) and (multicast$5.ab.)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:54
-	1	(((routing near2 table.ab.) and (multicast$5.ab.)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:12
-	1	(((routing near2 table.ab.) and (multicast$5.ab.)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and assign$5 near3 (ID or identif$6 or number or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:12
-	6	(((routing near2 table.ab.) and (multicast$5.ab.)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and rout$5 near3 (ID or identif$6 or number or value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:12
-	5	((routing near2 table.ab.) and (multicast$5.ab.)) and (best or optim$6 or fast$4) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:23
-	26	((routing near2 table.ab.) and (multicast$5.ab.)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:23
-	9	(((routing near2 table.ab.) and (multicast$5.ab.)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and (search$5 or look$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:06
-	263	(updat$5 with routing near2 table) and (routing near2 table.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:53
-	30	(updat$5 with routing near2 table) and (multicast$5.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:53
-	21	(updat$5 with routing near2 table) and (multicast$5.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 18:53
-	8	((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:21

-		3	((updat$5 with routing near2 table) and ((routing near2 table.ab.) and (multicast$5.ab.))) and compar$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:06
-		6	((updat$5 with routing near2 table) and ((routing near2 table.ab.) and (multicast$5.ab.))) and (check$5 or verif$6 or compar$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:02
-		6	((updat$5 with routing near2 table) and ((routing near2 table.ab.) and (multicast$5.ab.))) and (check$5 or verif$6 or compar$7 or match$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:02
-		6	(((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:06
-		5	((((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7) and (search$5 or look$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:19
-		5	(((((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7) and (search$5 or look$5) near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:11
-		5	(((((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7) and (search$5 or look$5) near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5 or remov$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:20
-		5	((((((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7) and (search$5 or look$5) near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and stor$5 near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/06 17:51
-		5	((((((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7) and (search$5 or look$5) near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and assign$6 near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:12

-		5	(((((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7) and (search$5 or look$5) near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5 or remov$5) near5 rout$5) and stor$5 near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:12
-		5	((((((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7) and (search$5 or look$5) near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5 or remov$5) near5 rout$5) and stor$5 near5 rout$5) and assign$6 near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:13
-		3	(((((((updat$5 with routing near2 table) and (routing near2 table.ab.)) and assign$5 near3 (ID or identif$6 or number or value) same (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5) and compar$7) and (search$5 or look$5) near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5 or remov$5) near5 rout$5) and stor$5 near5 rout$5) and assign$6 near5 rout$5) and identif$6 near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:22
-		4	(709/242.ccls. and (multicast$5 with rout$4 near3 table)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:19
-		4	((709/242.ccls. and (multicast$5 with rout$4 near3 table)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)) and (search$5 or look$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:19
-		3	(((709/242.ccls. and (multicast$5 with rout$4 near3 table)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)) and (search$5 or look$5) near5 rout$5) and stor$5 near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:20
-		3	((((709/242.ccls. and (multicast$5 with rout$4 near3 table)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)) and (search$5 or look$5) near5 rout$5) and stor$5 near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5 or remov$5) near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:21
-		1	((((((709/242.ccls. and (multicast$5 with rout$4 near3 table)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)) and (search$5 or look$5) near5 rout$5) and stor$5 near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5 or remov$5) near5 rout$5) and identif$6 near5 rout$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 19:22

| - | | 1 | (((((((709/242.ccls. and (multicast$5 with rout$4 near3 table)) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5) near5 rout$5 same (assig$5 or giv$3 or allocat$5 or generat$5 or creat$5)) and (search$5 or look$5) near5 rout$5) and stor$5 near5 rout$5) and (chang$5 or add$5 or delet$5 or alter$4 or updat$5 or remov$5) near5 rout$5) and identif$6 near5 rout$5) and stor$5 near5 rout$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/06 14:26 |